


Unit 6 Review Trigonometric Functions

1. Sketch the graph of a sinusoidal function that has a period of 180, an amplitude of 3, and whose equation of the axis is $y = -1$.




Step 1: Draw $y = -1$

Step 2: Plot the A and E on $y = -1$. These points signify where wave starts and ends.

Step 3: Plot "C". It's halfway.

Step 4: Plot "B" and "D" they're also midpoints.



2. Sketch 2 cycles of the graph of a sinusoidal function that has a period of 90, an amplitude of 2, and whose equation of the axis is $y = 1$.



$y = 1$

3. For the function $m(x) = \sin\left(\frac{x}{2}\right) + 2$

a) Sketch one cycle of $m(x)$



$$(x, y) \rightarrow (2x, y + 2)$$

$$(0, 0) \rightarrow (0, 2)$$

$$(90, 1) \rightarrow (180, 3)$$


$$(180, 0) \rightarrow (360, 2)$$

$$(270, -1) \rightarrow (540, 1)$$

$$(360, 0) \rightarrow (720, 2)$$

b) Complete the table for the function $m(x)$.

Period	Amplitude	Equation of the Axis	Domain of 1 Cycle	Range
720	1	$y = 2$	$\{x \in \mathbb{R} \mid 0 \leq x \leq 720\}$	$\{y \in \mathbb{R} \mid 1 \leq y \leq 3\}$

Day 9: Unit Review**Chapter 6: Sinusoidal Functions**4. For the function $f(x) = 3\sin(x + 30)$:a) Sketch one cycle of $f(x)$ 

$$(x, y) \rightarrow (x - 30, 3y)$$

$$(0, 0) \rightarrow (-30, 0)$$

$$(90, 1) \rightarrow (60, 3)$$


$$(180, 0) \rightarrow (150, 0)$$

$$(270, -1) \rightarrow (240, -3)$$

$$(360, 0) \rightarrow (330, 0)$$

b) Complete the table for the function $f(x)$.

Period	Amplitude	Phase Shift	Domain of 1 Cycle	Range
360	3	30° left	$\{x \in \mathbb{R} \mid -30 \leq x \leq 330\}$	$\{y \in \mathbb{R} \mid -3 \leq y \leq 3\}$

5. For the function $g(x) = -3\cos(x - 60)$:a) Sketch one cycle of $g(x)$ 

$$(x, y) \rightarrow (x + 60, -3y)$$

$$(0, 1) \rightarrow (60, -3)$$

$$(90, 0) \rightarrow (150, 0)$$

$$(180, -1) \rightarrow (240, 3)$$

$$(270, 0) \rightarrow (330, 0)$$

$$(360, 1) \rightarrow (420, -3)$$

b) Complete the table for the function $g(x)$.


Period	Amplitude	Phase Shift	Domain of 1 Cycle	Range
360	3	60° right	$\{x \in \mathbb{R} \mid -60 \leq x \leq 420\}$	$\{y \in \mathbb{R} \mid -3 \leq y \leq 3\}$

6. Fill in the blanks: When $y = \sin x$ transforms to $y = 2\sin x$, the y coordinate changes, while the x coordinate does not change.


Day 9: Unit Review

Chapter 6: Sinusoidal Functions

7. A Ferris wheel has a diameter of 30 metres, and the loading platform is 2 metres above the ground. The Ferris wheel completes one revolution every 180 seconds. Create a sinusoidal equation modeling the height, $h(t)$, of the rider above the ground, in metres, as a function of time, t , measured in seconds.



8. A snail is riding a water wheel as it turns counter clockwise, and her height above the water is given by the equation $h(t) = 4 \cos(2t)$, where $h(t)$ is in metres, and t is the time, in seconds.
- a) Graph the snail's height above the water as a function of time



- b) What is the minimum height of the snail? What does this represent?

$y = -4 \text{ m}$. It's under water, 4m in depth.

- c) Calculate the time required for one revolution of the water wheel.

180 sec.


9. At low tide, the water is 4 metres deep. At high tide, the water is 10 metres deep. Each cycle takes 16 hours. Assume the cycle starts at low tide.

- a) Create a sinusoidal equation modeling the depth of the water, $d(t)$, in metres, as a function of the time elapsed since low tide, t , in hours.

$$d(t) = 3 \sin[22.5(t-4)] + 7$$

$$d(t) = 3 \cos[22.5(t-8)] + 7$$

$$k = \frac{360}{16} = 22.5$$



- b) Use the equation to calculate the depth of the water 42 hours after low tide.


$$\begin{aligned} d(42) &= 3 \sin[22.5(42-4)] + 7 \\ &= 3 \sin[855] + 7 \\ &= 9.1 \end{aligned}$$

\therefore It'll be approximately 9.1m.

Day 9: Unit Review

Chapter 6: Sinusoidal Functions

10. State two possible sinusoidal equations of the function graphed on the grid below (1 sine, 1 cosine).



$$a=1, c=2, d=0 (\sin), k=1$$

$$y = \sin x + 2$$


$$y = \cos(x-90) + 2$$



$$y = 3 \sin \theta$$

or

$$y = 3 \cos(\theta - 90)$$



$$y = \sin(\theta - 30)$$

$$y = \cos(\theta - 120)$$

11. State the transformations (in order) that would be applied to the graph of $f(x) = \sin x$ to obtain the graph of $g(x) = 3\sin[2(x-45)]$.

- R → none
- S → vertically stretched by a factor of 3 and horizontally compressed by a factor of $\frac{1}{2}$
- T → shifted 45° right

12. State the transformations (in order) that would be applied to the graph of $f(x) = \cos x$ to obtain the graph of

$$h(x) = \sin(2x - 180) + 3$$

$$= \sin[2(x-90)] + 3$$

R - none

S - horizontally compressed by a factor of $\frac{1}{2}$

T - shifted 90° right and 3 units up.